

Brief Introduction

8 band desktop terminator jammer blocks 2G 3G 4G mobile phones, WIFI Bluetooth, UHF, VHF, GPS, Lojack, Remote Controls etc. The blocking range is up to 20~40m.

With 2 powerful cooling fans and alum case, it works 24/7 on wall charger. The individual switches on the panel allow you to adjust the output power of each band separately.

Package includes:

- 1 x 8 Band Desktop Jammer
- 1 x AC Power Adaptor (or 2pcs Adapters)
- 1 x Charge Cable
- 1 x Easy Carry Safety Case



Quick Start

1. Install Antennas

Screw on the SMA antennas by turns. You can adjust the angels and directions of each antenna. If it lays on the floor, it is advised to put it up straight.


2. Connect to Wall Power Source

Connect the charge cable to power adaptor and the jammer. Plug in Wall power socket. Then turn on the power switch and adjust the power regulation buttons. It starts to work.

Warning:
Please use the original 24V 5A power adapter.
Please keep the power adapter far away from the jammer.

3. Adjust the power regulation button and test

Try to make a phone call (2G 3G mobile) and send a SMS;
Put it besides Bluetooth mouse/headset/keyboard;
Put it in the car to test on GPS navigator/tracker.



To be continued...



Connect to Wall Power

Connect to the Jammer

Frequency Bands

It has 8 antennas and 8 power regulation buttons. Each antenna and power button has a corresponding number on it. If you want to disable one of the function, please adjust the power button to MIN or screw off the antenna.

Antenna NO.	Frequency Bands		Objects
	European Version	American Version	
#1	GSM900	CDMA800	GSM 3G 4G Mobile Phones GSM Tracker
#2	GSM1800 (DCS)	GSM1900 (PCS)	
#3	3G 2100MHz	3G 2100MHz	
#4	4G 2600MHz	4G 700MHz	
#5	2.4G	2.4G	WiFi/Bluetooth devices etc
#6	GPS L1	GPS L1	GPS tracker/navigator
#7	VHF 140-180MHz	VHF 140-180MHz	Lojack, VHF bug etc
#8	UHF 420-480MHz	UHF 420-480MHz	433MHz R/C, UHF walkie-talkie etc

FAQ

Q: Which version should I choose, European or American version?

A: Please check your cellphone frequency bands firstly for your country.
<http://www.worldtimezone.com/gsm.html>
 Then check the frequency bands of the jammer and choose the version that fits you.

Q: What to do if I do not want to jam some bands?

A: Here are two ways. Please turn down the output power or screw off certain SMA antennas.

Q: Why does some band not work?

A: Make sure to install the antennas by orders and adjust the power regulation button.

Q: It blocks mobile signals in short range.

A: Please adjust the angel of antenna. If there is mobile signal booster or Mobile signal tower, the blocking range will be reduced.

Q: Will the blocking range rise if I turn off other bands?

A: It will not increase its range. Because the output power of each band is fixed.

To be continued...

■ Warranty & Returning Policy

The warranty is one year. Since you purchased from us, you will enjoy one year warranty.

Once you get your package, please check if the outer packing is original or in good condition. Then install and use it according to above instructions.

If it doesn't work properly, please contact our sales team.

If you want to return for repair, please contact our sales team.

Warranty will be invalid under below conditions:

- It has more than 12 months since you ordered.
- Open the case or change circuits without our formal authorization.
- Other kinds of problems caused by wrong operations including using wrong power source.

■ Caution

The Jammer shall be used legally according to local laws. The user will be fully responsible for any illegal usage or any infringement of rights.

Thank you for reading and happy e-commerce!